

Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring small, bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org



Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring small, bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org



Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring small, bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org



Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring small, bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org



Additional Resources

Creeping Charlie

- UW-Extension Garden Fact Sheet XHT1170, *Creeping Charlie*, at <https://hort.uwex.edu/articles/creeping-charlie/>
- Article on MG website at <http://wimastergardener.org/article/controlling-creeping-charlie/>

Additional Resources

Creeping Charlie

- UW-Extension Garden Fact Sheet XHT1170, *Creeping Charlie*, at <https://hort.uwex.edu/articles/creeping-charlie/>
- Article on MG website at <http://wimastergardener.org/article/controlling-creeping-charlie/>

Additional Resources

Creeping Charlie

- UW-Extension Garden Fact Sheet XHT1170, *Creeping Charlie*, at <https://hort.uwex.edu/articles/creeping-charlie/>
- Article on MG website at <http://wimastergardener.org/article/controlling-creeping-charlie/>

Additional Resources

Creeping Charlie

- UW-Extension Garden Fact Sheet XHT1170, *Creeping Charlie*, at <https://hort.uwex.edu/articles/creeping-charlie/>
- Article on MG website at <http://wimastergardener.org/article/controlling-creeping-charlie/>

Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org



Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org



Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org



Creeping Charlie

Glechoma hederacea

This perennial weed in the mint family, also called ground ivy, creeping Jenny or gill-on-the-ground, spreads by seeds, rhizomes and creeping stems and is difficult to eliminate from yards. It thrives in moist, shady spots but grows anywhere turf is thin. In spring bluish-purplish flowers bloom on short stems.



Control

- Improve turf health and density.
- Hand-pull small infestations; remove all plant parts so they can't re-root.
- Apply broadleaf herbicides according to label directions when weeds are actively growing. Mid- to late autumn, after first frost, is the best time; another good time is in spring when plants are in bloom. A second application 3-4 weeks later may be necessary for best results.
- Borax is not an effective control and can injure turf and other plants.

Provided by

wimastergardener.org

